

IN THE WIND

PENDANT HORIZONTAL

Arihiro Miyake

Floor and pendant lamp for a warm and widespread LED lighting. The body is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo (patent pending). It allows a 360° LED emission. Heads are in die-casted aluminium. Diffusers are in opal metacrylate. Heads, base and arms are painted in matt white, matt black, titan grey and gold. For the floor version, switch and dimmer on the cable.



LED 2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	2570lm (real flux)
Typ cri	83
Energy class	A+
Materials	aluminium + PC
Notes	metal cable lenght 3m, electric cable lenght 5m, also available in 120V

Codes

ITW LWW 56
ITW LNW 56
ITW LGW 56
ITW LDW 56


Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 28x28x195 cm / Gross weight: 7 Kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2850lm (real flux)
Typ cri	83
Energy class	A+
Materials	aluminium + PC
Notes	metal cable lenght 3m, electric cable lenght 5m, also available in 120V

Codes

ITW LWW 57
ITW LNW 57
ITW LGW 57
ITW LDW 57

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 28x28x195 cm / Gross weight: 7 Kg

Certificazioni

